

# Rider Kinly Hall (smallest auditorium)

## Chassé Theater

Version 18-03-2020 (ENG)



### technical data

**Attention:** as the small auditorium is situated on the first floor, the elevator must be used to transport the set. Maximum dimensions of set pieces: 4.6 m x 2,06 m.

#### stage dimensions:

Stage (seating system fully extended)	wide 12 m	deep 9 m
Stage (seating extended + 1 additional row)	wide 12 m	deep 7,80 m
Stage (seating extended + 2 additional rows)	wide 12 m	deep 7 m
Auditorium + stage (seating system fully retracted)	wide 14 m	deep 19.5 m
Backstage	wide 14 m	deep 1.63m
Behind cyclorama	high 2.85 m	
Light bridges	5 x	safe working load bridge 150 kg/m
		safe working load point hoists 250 kg
Height under light bridges	5.4 m	
Maximum floor pressure	500 kg/m <sup>2</sup>	

**fly bar system:**

Fly bars  
Safe working load fly bar

5 electrically controlled (9M) + 2 lateral flybars eltrc.  
200 kg in total  
100 kg between steel cables

**auditorium seating system:**

Telescopic seating system

190 seats (+8 @ FOH position)  
20 seats on first additional row  
20 seats on second additional row

**masking:**

Colour of masking  
Legs / tabs  
Cyclorama  
Fond  
Side masking

night blue  
4 pairs  
off white (12m wide x 5.4 m high)  
present  
can be created with the legs

**lighting:**

Lighting computer

Compulite micron 4D, Compulite Spark-Top,  
GrandMA DOT2, High End Systems Full Boar.  
Available on request.

Dimmers

ADB twin-tech. a total of 124 dimmers  
12 of which 5kW all the rest 3 kW

DMX 512

operational from Control Room or auditorium  
ELC Focus Brain

Remote Control

Follow spots

no spots present

Spots

various ADB profiles and PC 's, 1 kW

Cyclorama floods

15 x 1 kW ADB Cyclorama floods

free usable spots

various conventional and intelligent fixtures.  
Complete list on request.

**power supply:**

Power supply

1 x 125 Amp. 3 Fase 400V/ backstage stage R.  
1 x 63 Amp. 3 Fase 400V/ backstage stage R.

**sound system:**

Sound system controlled by a Midas XL-88 matrix which controls several XTA 444 processors.

**P.A. System:**

Speaker brand  
Amplifiers  
Processors

Adamson  
Lab Gruppen D80L  
Lake LM44

*Access to this system can be given on request.*

**setup:**

Groundsystem L&R  
Flown system L&R

2 x Adamson IS7 + 2 x Adamson IS118 sub  
4 x Adamson IS7

**the following sections can becontrolled separately:**

Array top left, Array top right, Array left stack, Array right stack, left sub low, right sub low

This auditorium has got a Soundcraft GB2R-12 mixing console mounted in Control Room.

**general information:**

Loading docks

Two of the 4 loading docks on the left side of the theatre have got a lift. The other two have a dockleveller.

As the small auditorium is situated on the first floor, the in-house elevator is needed for set transportation. Maximum dimensions of set pieces 4.6 m x1.9 m

Dressingrooms

The small auditorium has 4 dressingrooms, 2 toiletgroups and 2 showers on it's stage level.

Stage door

At the left hand side, facing the theatre, next to the loading docks.

Information

For more information please contact our Backoffice.

tel: 0031 (0) 76 530 3 171

E-mail address: [backoffice@chasse.nl](mailto:backoffice@chasse.nl)

Internet address: [www.chasse.nl/techniek](http://www.chasse.nl/techniek)